

HOMO & SAE

MULTIGRADE OIL FOR HEAVY DUTY VEHICLES & MONO GRADE OIL

The PANTHER range meets the requirements for most heavy duty engines. To know which oil to use, consult the engine manual. If you do not find the right product, contact your PANTHER dealer or info@PANTHER-oil.be for advice.



MINIMAL ORDER QUANTITY

- 1, 4 and 5 Liter cans :
1 palet per product and package
- 20 L cans and drums of 60
and 190-210 Liter : per piece

MULTIGRADE OIL FOR HEAVY DUTY VEHICLES

HDMO

	viscosity	POWER heavy duty	API	ACEA	performance level
Mineral	15W40	TURBO DIESEL	CI-4/SL	E7	ALLISON : C4 CATERPILLAR: ECF-1a CATERPILLAR: ECF-2 CUMMINS: CES 20076 CUMMINS: CES 20077 CUMMINS: CES 20078 DETROIT DIESEL: 93K216 DEUTZ: DQC-III-18 DTFR 16B110 GLOBAL: DHD-1 JASO: DH-1 MACK: EO-M PLUS MACK: EO-N MAN: M3276-1 MB: 228.3 MTU: Type 2 RENAULT: RLD/ RLD-2 VOLVO: VDS-3 ZF ML07C
		TURBO DIESEL PLUS	CI-4/SN	A3/B4/E7	DAF XF DEUTZ: DQC III-10 MAN: M3275 MB: 229.1 / 228.3 IVECO-PEGASO RENAULT: RLD-2 SCANIA: LDF VOLVO: VDS-3
		TRUCK LINE LSP	CK-4/SN	E9/E11	CAT: ECF-3 CUMMINS: CES20086 DETROIT DIESEL: 93K222 DEUTZ: DQC III-18 LA DTFR 16C100 FORD WSS M2C171-F1 MACK: EOS-4.6 MB: 228.31 MAN: M3776 MTU: TYPE 2.1 RENAULT: VI RLD-3 VOLVO: VDS-4.6
	20W50	TURBO DIESEL	CI-4/SL	A3/B4/E7	ALLISON C4 CATERPILLAR ECF-1a/2 CUMMINS CES 20076/20077/20078 DETROIT DIESEL 93K216 DEUTZ DQC-III-18 DTFR 16B110 GLOBAL DHD-1 JASO DH-1 MACK EO-M PLUS/EO-N MAN M3276-1 MB 228.3/229.1 MTU TYPE 2 RENAULT RLD/RLD-2 VOLVO VDS-3
Synthetic based	10W30	TRUCK SYNTHOIL LSP PLUS	CJ-4/CK-4/SM	E7/E9/E11	CATERPILLAR: ECF-2 CATERPILLAR: ECF-3 CUMMINS: CES 20081 CUMMINS: CES 20086 DETROIT DIESEL 93K222 DEUTZ: DQC III-18 DTFR 16C100 FORD: WSS-M2C171-F1 MACK: EOS-4.6 MAN: M3776 MB: 228.31 MTU: TYPE 2.1 RENAULT: VI RLD-3 VOLVO: VDS-4.6
	10W40	TURBO DIESEL	CI-4/SL	A3/B4/E7	ALLISON C-4 CAT ECF-1-A/ECF-2 CUMMINS CES 20076/20077/20078 DAF XTREME LD LEVEL DETROIT DIESEL 93K216 DEUTZ DQC III-18 DTFR 16B110 GLOBAL DHD-1 JASO DH-1 MACK EO-N/EO-M PLUS MAN M 3276-1 MB 228.3/229.1 MTU TYPE 2 RENAULT VI RLD/RLD-2 VOLVO VDS-3 ZF TE-ML 07C
Full synthetic	5W30	TRUCK SYNTHOIL LSP PLUS	CK-4/SN	E4/E6/E7/E8/E9/E11	CATERPILLAR: ECF-3 CUMMINS: CES 20081/20086 DAF Extended Drain DAF PSQL 2.1 E DAF PSQL 2.1 E LD DETROIT DIESEL 93K218/93K222 DEUTZ: DQC IV-18 LA DTFR 16C100 DTFR 16C110 DTFR 16C120 FORD WSS-M2C231-A IVECO 18-1804 TLS E9 JASO: DH-2 MACK: EO-M PLUS MACK: EO-N Premium Plus / EO-O Premium Plus MACK: EOS-4.6 MAN: M3271-1 MAN: M3477 MAN: M3677 MAN: M3776 MB: 228.31 MB: 228.61 MB: 228.62 MTU: Type 3.1 RENAULT: RLD-2 RENAULT: RLD-3 RENAULT: RXD/RGD RENAULT: VI RLD-3 SCANIA: LOW A6H SCANIA: LDF-4 VOITH: CLASS B VOLVO: CNG VOLVO: VDS-3 VOLVO: VDS-4 VOLVO: VDS-4.6
	10W40	TRUCK SYNTHOIL LSP	CI-4	E6/E7/E8/E9/E11	CAT: ECF-1 CUMMINS: CES 20076 CUMMINS: CES 20077 DAF Extended Drain DEUTZ: DQC-IV-18 LA DTFR 16C110 IVECO: 18-1804 TLS E6 JASO: DH-2 MACK: EO-N MAN: M3271-1 MAN: M3477 MB: 228.61 MTU: Type 3.1 RENAULT: RGD RLD-2 RENAULT: VI RXD VOLVO: VDS-3
		TRUCK SYNTHOIL LSP PLUS	CJ-4	E4/E6/E7/E8/E9	CATERPILLAR: ECF-3 CUMMINS: CES 20081 DAF: EXTENDED DRAIN DETROIT DIESEL: 93K218 DEUTZ: DQC IV-10 LA DEUTZ: DQC IV-18 LA JASO: DH-1 JASO: DH-2 MACK: EO-N PREMIUM PLUS MACK: EO-O PREMIUM PLUS MAN: M3271-1 MAN: M3477 MAN: M3676 MB: 228.31 MB: 228.61 MTU: TYPE 2.1 MTU: TYPE 3.1 RENAULT: RLD-2 / RLD-3 SCANIA: LA VOITH: RETARDER OIL CLASS B VOLVO: VDS-3 / VDS-4



MONOGRADE

SAE 30, 50, 60 & 70

Mineral engine oil for the lubrication of petrol and diesel engines. This oil combines excellent anti-wear and anti-sludge properties with a good detergent activity.

APPLICATIONS : atmospheric aspirated diesel for operation in normal conditions and gasoline engines for cars and light trucks. May not be used in turbo diesel engines.

MINIMAL ORDER QUANTITY SAE 60 & 70

- 2000 Liter per order

QUANTITÉ MINIMALE À COMMANDER SAE 60 & 70

- 2000 Litre par commande

MONOGRADE 	API	ACEA	performance level <i>niveau de performance</i>
POWER PREMIUM 30W	SG/CF - SF/CF	E2	ALLISON C3 CAT TO-2 MB 227.0/228.0 MAN 270 MTU TYPE I
POWER PREMIUM 40W	SF/CC - SF/CF	E2	ALLISON C3 CAT TO-2 CCMC G2/D1 MAN 270 MB 228.0 MIL-L-46162B/C MTU TYPE I FORD M2C163-C (SF/CC) FORD M2C9011-A GM 6086M
POWER PREMIUM 50W	SF/CF - SG/CF	E2	ALLISON C3 CAT TO-2 MB 227.0/228.0 MAN 270 MTU TYPE I
POWER PREMIUM 60W	SF/CF - SG/CF	E2	ALLISON C3 CAT TO-2 MB 227.0/228.0 MAN 270 MTU TYPE I
POWER PREMIUM 70W	CF/SF	E2	ALLISON C3 CAT TO-2 MB 228.0 MTU TYPE I